PATENT COOPERATION TREAT.

	From the INTERNATIONAL BUREAU					
PCT	То:					
NOTIFICATION OF ELECTION (PCT Rule 61.2)	United States Patent and Trademark Office (Box PCT) Crystal Plaza 2 Washington, DC 20231 ÉTATS-UNIS D'AMÉRIQUE					
Date of mailing (day/month/year) 10 May 1999 (10.05.99)	in its capacity as elected Office					
International application No. PCT/US98/16689	Applicant's or agent's file reference FL1049					
International filing date (day/month/year) 12 August 1998 (12.08.98)	Priority date (day/month/year) 12 August 1997 (12.08.97)					
Applicant						
BOEHMER, Sara, W. et al						
1. The designated Office is hereby notified of its election made: X In the demand filed with the International Preliminary Examining Authority on: 05 March 1999 (05.03.99) In a notice effecting later election filed with the International Bureau on:						
2. The election X was was not was not made before the expiration of 19 months from the priority d Rule 32.2(b).	ate or, where Rule 32 applies, within the time limit under					

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland

Authorized officer

Sean Taylor

Telephone No.: (41-22) 338.83.38

Facsimile No.: (41-22) 740.14.35




INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

Applicant's or agent's file reference	FOR FURTHER see Notification of Transmittal of International Search Report (Form PCT/ISA/220) as well as, where applicable, item 5 below.					
International application No.	International filing date (day/month/year)	(Earliest) Priority Date (day/month/year)				
PCT/US 98/16689	12/08/1998 12/08/1997					
Applicant	<u> </u>					
E.I. DU PONT DE NEMOURS A	ND COMPANY et al.					
This International Search Report has bee according to Article 18. A copy is being tra		Authority and is transmitted to the applicant				
This International Search Report consists It is also accompanied by a cop	of a total of3 sheets. y of each prior art document cited in this rep	port.				
Certain claims were found un						
2. Unity of invention is lacking(s	see Box II).					
	ntains disclosure of a nucleotide and/or an out on the basis of the sequence listing	nino acid sequence listing and the				
filed	with the international application.					
furn	ished by the applicant separately from the i	nternational application,				
	but not accompanied by a statement to matter going beyond the disclosure in					
Trai	nscribed by this Authority					
4. With regard to the title, X the	text is approved as submitted by the applic	ant				
the	text has been established by this Authority	to read as follows:				
5. With regard to the abstract,						
	text is approved as submitted by the applicatext has been established, according to Rui					
Box	III. The applicant may, within one month from the right of the report, submit comments to this Author	om the date of mailing of this International				
6. The figure of the drawings to be publ	ished with the abstract is:					
Figure No1 as s	suggested by the applicant.	None of the figures.				
X bec	ause the applicant failed to suggest a figure					
bec	ause this figure better characterizes the inv	ention.				

INTERNATIONAL SEARCH REPORT



A. CLASSIFICATION OF SUBJECT MATTER IPC 6 C07C17/386 C07C19/08

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols) IPC 6 - C07C

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched


Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUM	C. DOCUMENTS CONSIDERED TO BE RELEVANT					
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.				
Х	ANON.: "Methods for separating chloro-carbons from hydrofluoroalkanes" RES. DISCL. (RSDSBB,03744353);94; VOL.360,; PP.191-3, XP000446558 UK (GB) see example 3	1-3				
Α	WO 97 03936 A (DU PONT) 6 February 1997 cited in the application see claim 5	1,5				
Α	PATENT ABSTRACTS OF JAPAN vol. 096, no. 003, 29 March 1996 & JP 07 291878 A (SHOWA DENKO KK), 7 November 1995 cited in the application see abstract	1				

X Further documents are listed in the continuation of box C.	χ Patent family members are listed in annex.
Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filling date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. "&" document member of the same patent family
Date of the actual completion of theinternational search 12 November 1998	Date of mailing of the international search report $20/11/1998$
Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Authorized officer Bonnevalle, E

1

INTERNATIONAL SEARCH REPORT



POOLIMENTS CONSIDERED TO BE SELEVANT	5 98/16689		
	Relevant to claim No.		
Onation of document, with indication, where appropriate, of the relevant passages	relevant to claim No.		
WO 95 21147 A (DU PONT) 10 August 1995 see the whole document	1-3,8-10		
EP 0 626 362 A (SHOWA DENKO KK) 30 November 1994 see claims	1-4		
			
	 EP 0 626 362 A (SHOWA DENKO KK) 30 November 1994		

1

INTERNATIONAL SEARCH REPORT

Inform

on patent family members

Intersional Application No
PS 98/16689

Patent doc cited in sear		Publication date		Patent family member(s)	Publication date
WO 9703	936 A	06-02-1997	AU CA EP	6457796 A 2226673 A 0840719 A	18-02-1997 06-02-1997 13-05-1998
WO 9521	147 A	10-08-1995	EP JP	0743933 A 9508626 T	27-11-1996 02-09-1997
EP 0626	362 A	30-11-1994	AU AU BR CA CN DE DE ES GR JP	684757 B 6328394 A 9402038 A 2124282 A 1098710 A 69400257 D 69400257 T 2091069 T 3020852 T 7133240 A	08-01-1998 01-12-1994 07-03-1995 26-11-1994 15-02-1995 25-07-1996 13-02-1997 16-10-1996 30-11-1996 23-05-1995



RECEIVED

SEP 23 1999

From the INTERNATIONAL PRELIMINARY EXAMINING AUTHORITY

PCI

PATENT RECORDS
CENTER

To:

SHIPLEY, Jam s E.
E.I. DU PONT DE NEMOURS AND COMPANY
Legal Patent Records Center
1007 Market Street
Wilmington, DE 19898
ETATS-UNIS D'AMERIQUE

NOTIFICATION OF TRANSMITTAL OF THE INTERNATIONAL PRELIMINARY EXAMINATION REPORT (PCT Rule 71.1)

Date of mailing (day/month/year)

16.09.99

Applicant's or agent's file reference

FL1049

IMPORTANT NOTIFICATION

International application No. PCT/US98/16689

International filing date (day/month/year) 12/08/1998

Priority date (day/month/year) 12/08/1997

Applicant

E.I. DU PONT DE NEMOURS AND COMPANY et al.

- The applicant is hereby notified that this International Preliminary Examining Authority transmits herewith the international preliminary examination report and its annexes, if any, established on the international application.
- 2. A copy of the report and its annexes, if any, is being transmitted to the International Bureau for communication to all the elected Offices.
- Where required by any of the elected Offices, the International Bureau will prepare an English translation of the report (but not of any annexes) and will transmit such translation to those Offices.

4. REMINDER

The applicant must enter the national phase before each elected Office by performing certain acts (filing translations and paying national fees) within 30 months from the priority date (or later in some Offices) (Article 39(1)) (see also the reminder sent by the International Bureau with Form PCT/IB/301).

Where a translation of the international application must be furnished to an elected Office, that translation must contain a translation of any annexes to the international preliminary examination report. It is the applicant's responsibility to prepare and furnish such translation directly to each elected Office concerned.

For further details on the applicable time limits and requirements of the elected Offices, see Volume II of the PCT Applicant's Guide.

Name and mailing address of the IPEA/

))) E

European Patent Office D-80298 Munich Tel. +49 89 2399 - 0 Tx: 523656 epmu d Fax: +49 89 2399 - 4465 Authorized officer CLS NOTED

Roche, S

10.5.99

STATE OF STA

Tel.+49 89 2399-8031



PCT

REC'D	20	SEP	1999	
VA/ID			CT	

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's	r age	nt's file reference		See Notifi	cation of Transmittal of International	
FL1049			FOR FURTHER AC			
International	appli	cation No.	International filing date (d	lay/month/year)	Priority date (day/month/year)	
PCT/US9	8/16	689	12/08/1998		12/08/1997	
International C07C17/3		nt Classification (IPC) or na	tional classification and IPC	;		
Applicant						
	TMC	DE NEMOURS AND	COMPANY et al.			
		ational preliminary exami smitted to the applicant a		prepared by this Int	ernational Preliminary Examining Authority	
2. This R	EPO	RT consists of a total of	5 sheets, including this	cover sheet.		
be (s	 This report is also accompanied by ANNEXES, i.e. sheets of the description, claims and/or drawings which hav been amended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT). These annexes consist of a total of sheets. 					
3. This re	port	contains indications rela	ting to the following iten	ns:		
1	×	Basis of the report				
		Priority			and to decrease to a section of the	
			•	veity, inventive step	and industrial applicability	
V V	_	Lack of unity of invention Reasoned statement uncitations and explanation	nder Article 35(2) with re		entive step or industrial applicability;	
VI		Certain documents cite	ed			
VII	\boxtimes	Certain defects in the in	nternational application			
VIII	⊠	Certain observations or	n the international applic	eation		
Date of subi	nissic	on of the demand		Date of completion o	f this report	
05/03/199	9			16 vu va		
	exami	g address of the internationa ining authority: opean Patent Office		Authorized officer	SE MOORE MICHAELE	
<i>a</i>))	D-80	298 Munich		Jardon Alvarez,		
Tel. +49 89 2399 - 0 Tx: 523656 epmu d Fax: +49 89 2399 - 4465 Telephone No. +49 89 2399 8325				9 2399 8325		

Telephone No. +49 89 2399 8325



INTERNATIONAL PRELIMINARY **EXAMINATION REPORT**

International application No. PCT/US98/16689

I .	Basi	is o	f th	e re	port
------------	------	------	------	------	------

1. This report has been drawn on the basis of (substitute sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to the report since they do not contain amendments.):

	Des	scription, pages:	
	1-22	2	as originally filed
	Cla	ims, No.:	
	1-1	1	as originally filed
	Dra	wings, sheets:	
	1/1		as originally filed
2.	The	amendments hav	e resulted in the cancellation of:
		the description,	pages:
		the claims,	Nos.:
		the drawings,	sheets:
3.			een established as if (some of) the amendments had not been made, since they have ben beyond the disclosure as filed (Rule 70.2(c)):
4.	Ado	litional observatior	ns, if necessary:



International application No. PCT/US98/16689

V. Reasoned statem int under Articl 35(2) with regard to novilty, invinity is the porting such statement

1. Statement

Novelty (N)

Yes:

Claims 1-11

No:

Claims

Inventive step (IS)

Yes: Claims

No:

Claims 1-11

Industrial applicability (IA)

Yes:

Claims 1-11

No:

Claims

2. Citations and explanations

see separate sheet

VII. Certain defects in the international application

The following defects in the form or contents of the international application have been noted:

see separate sheet

VIII. Certain observations on the international application

The following observations on the clarity of the claims, description, and drawings or on the question whether the claims are fully supported by the description, are made:

see separate sheet

	•
THIS PAGE BLANK (USPTO)	

EXAMINATION REPORT - SEPARATE SHEET

D1: ANON.: 'Methods for separating chloro-carbons from hydrofluoroalkanes' RES. DISCL. (RSDSBB,03744353);94; VOL.360,; PP.191-3, UK (GB)

D2: WO 97 03936 A D4: WO 95 21147 A D5: EP-A-0 626 362

Re Item V

Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

- 1. None of the documents cited in the Search Report discloses a process for separating difluoromethane from mixtures with another halocarbon by extractive distillation with specific extractive agents as described in claims 1 to 11. The subject-matter of the claims is therefore novel (Art. 33(2) PCT).
- 2. However, the subject-matter of the claims does not involve an inventive step as required by Article 33(3) PCT.

WO - A - 97 03936, D2, which is considered the nearest prior art document, discloses a process for the separation of HFC-32 and HFC-125 by extractive distillation using as extractant methylene chloride (see claim 5 and example 11). The problem to be solved by the present application with respect to the above mentioned process can be seen as to provide an alternative process for the separation of HFC-32 from mixtures with HFC-125 and/or other halocarbons (CFC-12, HFC-143a and CFC-115).

This problem is solved by the claimed process by extractive distillation with an extractive agent selected from specific hydrocarbons, chlorocarbons, alcohols and ketones (see claim 1) wherein the use of methylene chloride for the separation of HFC-125 from HFC-32, which is already known from D2, is disclaimed. By this process HFC-32 of high purity is obtained (see examples).

The replacement of methylene chloride by other extractive agents does not appear to involve an inventive step. Extractive distillation is often used for the purification of fluoroalkanes. Thus, for instance D1 and D3 disclose the use of



EXAMINATION REPORT - SEPARATE SHEET

hydrocarbons and chlorocarbons as extraction agents for the extractive distillation of related mixtures (see under method (iii) in the first and the fourth pages of D1 and claim 1 of D4) and D5 the use of hydrocarbons, alcohols and ketones for the purification of pentafluoroethane (see claims). The skilled person wishing to replace methylene chloride by other extractive agents would recognize those already known from D1, D4 and D5 for closely related separation processes as possible candidates. The specific ones that would work for the now claimed separation can then be determined by routine experimentation. For these reasons an inventive step cannot be acknowledged.

Re Item VII

Certain defects in the international application


- 1. On lines 3 - 4 of claim 1 reference is made to the halocarbon "chlorodifluoromethane (CFC-12)". There is then a contradiction between the chemical name and the abbreviation CFC-12 which actually corresponds to dichlorodifluoromethane. Clarification is then necessary in this respect (Article 6 PCT).
- 2. Pressures (see claim 9 and the description) and the units of weight (see examples) should also be expressed in terms of the metric system (Rule 10.1 PCT).

医水溶解 致恶 🤔

Re Item VIII

Certain observations on the international application

Claims 6 and 7 do not meet the requirements of Article 6 PCT in that the matter 1. for which protection is sought is not clearly defined. The claims attempt to define the subject-matter in terms of the result to be achieved (cf. "the difluoromethane recovered ... contains less than ... ppmw halocarbon") which merely amounts to a statement of the underlying problem. The technical features necessary for achieving this result should be added.



PCT





INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶: C07C 17/386, 19/08

(11) International Publication Number:

SE).

WO 99/07660

A1

US

(43) International Publication Date:

18 February 1999 (18.02.99)

(21) International Application Number:

PCT/US98/16689

(22) International Filing Date:

12 August 1998 (12.08.98)

(30) Priority Data:

60/055,502

12 August 1997 (12.08.97)

Published

With international search report.

(81) Designated States: JP, US, European patent (AT, BE, CH, CY,


DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT,

(71) Applicant (for all designated States except US): E.I. DU PONT DE NEMOURS AND COMPANY [US/US]; 1007 Market Street, Wilmington, DE 19898 (US).

(72) Inventors; and

- (75) Inventors/Applicants (for US only): BOEHMER, Sara, W. [US/US]; 6 Gibbs Lane, Newark, DE 19711 (US). MAHLER, Barry, Asher [US/US]; 104 Carter Way, Glen Mills, PA 19342 (US). MILLER, Ralph, Newton [US/US]; 39 Hillstream Road, Newark, DE 19711 (US).
- (74) Agent: SHIPLEY, James, E.; E.I. du Pont de Nemours and Company, Legal Patent Records Center, 1007 Market Street, Wilmington, DE 19898 (US).

(54) Title: PURIFICATION OF DIFLUOROMETHANE BY EXTRACTIVE DISTILLATION



(57) Abstract

The present invention provides extractive distillation processes for removing difluoromethane (HFC-32) from a mixture comprising HFC-32 and at least one of chlorodifluoromethane (CFC-12), 1,1,1-trifluoroethane (HFC-143a), chloropentafluoroethane (CFC-115), and pentafluoroethane (HFC-125) using hydrocarbon, chlorocarbon, and oxygen-containing extractive agents.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	C.	
AM	Armenia	FI	Finland	LT		SI	Slovenia
AT	Austria	FR	France		Lithuania	SK	Slovakia
AU	Australia	GA	Gabon	LU	Luxembourg	SN	Senegal
AZ	Azerbaijan			LV	Latvia	SZ	Swaziland
· BA	•	GB	United Kingdom	MC	Monaco	TD	Chad
BB	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	ТТ	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil -	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	
CF	Central African Republic	ЛР	Japan	NE	Niger	VN	Uzbekistan
CG	Congo	KE	Kenya	NL	Netherlands		Viet Nam
CH	Switzerland	KG	Kyrgyzstan	NO		YU	Yugoslavia
CI	Côte d'Ivoire	KP	Democratic People's	NZ	Norway	ZW	Zimbabwe
CM	Cameroon	424			New Zealand		
CN	China	KR	Republic of Korea	PL	Poland		
CU	Cuba		Republic of Korea	PT	Portugal		
cz		KZ	Kazakstan	RO	Romania		
	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		
	1				- ,		

5

10

15

20

25

30

35

1/PRTS

PCT/US98/16689

416 Rec'd PCT/PTO 1 1 FEB 2000

TITLE

PURIFICATION OF DIFLUOROMETHANE BY EXTRACTIVE DISTILLATION

CROSS REFERENCE TO RELATED APPLICATIONS

This application claims the priority benefit of U.S. Provisional Application 60/055502, filed August 12, 1997.

FIELD OF THE INVENTION

The present invention relates to extractive distillation processes for purifying difluoromethane (CF_2H_2 , HFC-32).

BACKGROUND OF THE INVENTION

New regulations have been established to protect the stratospheric ozone layer from possible damage by chlorofluorocarbons (CFCs). Highly purified HFC-32 is a hydrofluorocarbon (HFC) that is valuable as an etchant gas in plasma etching of materials used in the fabrication of semiconductor devices.

HFC-32 may be prepared by allowing methylene chloride (CCl₂H₂) to react with hydrogen fluoride (HF) in the presence of an oxidized metal catalyst of metals such as chromium, antimony, and tantalum. HFC-32 may also be coproduced with HFCs such as pentafluoroethane (CF₃CF₂H, HFC-125) by such metal mediated processes in which an HFC-125 precursor compound such as tetrachloroethylene (CCl₂=CCl₂) is utilized. The HFC-32 reaction product obtained from such processes may contain one or more of HFC-125, unreacted methylene chloride and HF, byproduct hydrogen chloride (HCl), and small amounts of organic byproducts such as 1,1,1-trifluoroethane (CF₃CH₃, HFC-143a), dichlorodifluoromethane (CCl₂F₂, CFC-12), chloropentafluoroethane (CCIF₂CF₃, CFC-115), methyl chloride (CH₃Cl, HCC-40), methyl fluoride (CH₃F, HFC-41), trifluoromethane (CF₃H, HFC-23), chlorodifluoromethane (CHClF₂, HCFC-22), and 1,1-difluoroethane (CF₂HCH₃, HFC-152a). The presence of even trace amounts of such impurities in HFC-32 can be undesirable in the utilization of HFC-32 as an etchant gas in plasma processes employed in the semiconductor industry.

Casey et al., in PCT publication WO9703936 disclose processes for separation of HFC-32 and HFC-125 by azeotropic distillation of a low boiling HFC-32/HFC-125 azeotrope, separation of a mixture of HFC-32 and CFC-115 by azeotropic distillation of a low boiling HFC-32/CFC-115 azeotrope, separation of

09年4月12日中国

5

10

15

20

25

30

35

a mixture of HFC-32 and HFC-125 by extractive distillation employing methylene chloride as extractive agent, and separation of a mixture of HFC-32 and HFC-143a by employing CFC-115 as extractive agent.

Takahashi Reiji et al., in Japanese patent application JP 07291878, describe a process for the removal of HFC-143a, HFC-125, and methyl chloride from HFC-32 by extractive distillation. This process is characterized by employing at least one of 1,1-dichloro-1-fluoroethane (CCl₂FCH₃, HCFC-141b), dichloropentafluoropropane, trichlorotrifluoroethane, and 2,2-dichloro-1,1,1-trifluoroethane (CHCl₂CF₃, HCFC-123) as extractive agent. Using such CFC extractive agents is relatively expensive, and regulations concerning protection of the stratospheric ozone layer will cause CFCs to be phased out as commercial products thereby making CFCs unavailable or uneconomical for such a process.

The present invention solves problems associated with conventional purification methods and provides lower cost and more economical processes for separating HFC-32 from mixtures comprising HFC-32 and at least one halocarbon selected from HFC-143a, CFC-12, HFC-125, and CFC-115.

SUMMARY OF THE INVENTION

The present invention comprises a process for separating difluoromethane (HFC-32) from at least one halocarbon of a first mixture comprising difluoromethane (HFC-32) and halocarbon selected from the group consisting of chlorodifluoromethane (CFC-12), 1,1,1-trifluoroethane (HFC-143a), chloropentafluoroethane (CFC-115), and pentafluoroethane (HFC-125), comprising the steps of:

contacting the first mixture with an extractive agent selected from the group consisting of:

hydrocarbon extractive agents comprising hydrocarbons having from 5 to 9 carbon atoms and having a normal boiling point greater than about 30°C and less than about 155°C,

oxygen-containing extractive agents comprising alcohols having a normal boiling point greater than about 60°C and less than about 100°C and represented by the formula $C_xH_{2x+1}OH$, wherein x is from 1 to 3, and ketones having a normal boiling point greater than about 50°C and less than about 110°C and represented by the formula $C_yH_{2y+1}COC_zH_{2z+1}$, wherein y and z are 1 or greater and y+z is at most 5, and

chlorocarbon extractive agents comprising chlorocarbons having a normal boiling point greater than about 39°C and less than about 150°C

and represented by the formula C_sH_{2s+2+}Cl_t, wherein s is 1 or 2 and t is from 2 to 4 to form a second mixture,

separating difluoromethane (HFC-32) from at least one halocarbon of the second mixture by extractively distilling the second mixture, and

5

10

15

20

25

30

35

recovering difluoromethane (HFC-32) substantially free of at least one halocarbon, with the proviso that when the halocarbon is pentafluoroethane (HFC-125), the chlorocarbon extractive agent may not be methylene chloride.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1.- FIG.1 is a schematic diagram of an extractive distillation system that can be used for practicing an aspect of the present process.

DETAILED DESCRIPTION

HFC-32 is commonly synthesized by fluorination of methylene chloride by a process wherein methylene chloride is allowed to react with hydrogen fluoride in the presence of a metal catalyst. HFC-32 so produced can contain a variety of impurities such as HCl, halocarbons such as HFC-143a and CFC-12, as well as unreacted methylene chloride and HF, among others. HFC-32 may also be co-produced with HFCs such as HFC-125 by such metal mediated processes in which an HFC-125 precursor compound such as tetrachloroethylene (CCl₂=CCl₂) is utilized. In the event of such HFC-32/HFC-125 co-production, HFC-32 product may additionally contain HFC-125 and HFC-125 byproducts such as CFC-115. While most of the process impurities can be removed by conventional distillation, the halocarbons CFC-12, HFC-143a, CFC-115, and HFC-125 are difficulty is due to the fact that CFC-12, HFC-143a, CFC-115, and HFC-125 form known azeotropes with HFC-32.

Halocarbon impurities of the present invention refers to at least one halocarbon selected from the group consisting of CFC-12, HFC-143a, CFC-115, and HFC-125. In their separate and pure states, HFC-32 and the halocarbon impurities have atmospheric boiling points of about -52°C (HFC-32), -48°C (HFC-125), -47°C (HFC-143a), -39°C (CFC-115), and -30° (CFC-12). However, a mixture comprising at least one such halocarbon and HFC-32 exhibits non-ideal vapor-liquid behavior such that the relative volatility of HFC-32 and halocarbon is very near 1.0. Conventional distillation procedures are incapable of efficiently separating HFC-32 from these halocarbons in instances where the relative volatility of HFC-32 and halocarbon is very near 1.0. The term conventional

distillation refers to the practice where only the relative volatility of the components of a mixture to be separated is used to separate the components.

5

10

15

20

25

30

35

To determine the relative volatility of HFC-32 and halocarbon, a method known as the PTx method was used. Use of the PTx method is described in detail in "Phase Equilibrium in Process Design," Wiley-Interscience Publisher, 1970, written by Harold R. Null, pages 124 through 126, hereby incorporated by reference. In the PTx method, the total absolute pressure in a cell of known volume is measured at a constant temperature for various known binary compositions of HFC-32 and halocarbon. These total pressure measurements are converted into equilibrium vapor and liquid compositions by employing an activity coefficient equation model such as the Non-Random, Two Liquid (NRTL) equation, which represents liquid phase non-idealities. Use of an activity coefficient equation such as the NRTL equation, is described in "The Properties of Gases and Liquids," 4th edition, published by McGraw Hill, written by Reid, Prausnitz and Poling, pages 241 through 387; and in "Phase Equilibria in Chemical Engineering," published in 1985 by Butterworth Publishers, written by Stanley M. Walas, pages 165 through 244. Both aforementioned references are hereby incorporated by reference. Without wishing to be bound by theory, it is believed that the NRTL equation can sufficiently predict the relative volatilities of mixtures comprising HFC-32 and the halocarbon impurities of the present invention.

The results of PTx measurements and the above calculations indicate that the relative volatilities of HFC-32 and halocarbon are equal to 1 for given compositions of HFC-32 and halocarbon over a range of temperatures. Relative volatilities of 1 in a mixture indicate the formation of an azeotrope. The results of PTx measurements and the above calculations indicate that the composition of the azeotropes varies with temperature. Tables 1 through 4 show the results of these calculations, specifically, how the composition of the HFC-32/halocarbon azeotropes varies with temperature. Because of the formation of azeotropes, it is difficult, if not impossible, to completely separate HFC-32 from halocarbon by conventional distillation techniques at temperatures and pressures within the ranges shown in Tables 1 through 4.

By azeotrope or azeotropic composition is meant a substantially constant boiling liquid mixture of two or more substances that behaves as a single substance. One way to characterize an azeotropic composition or mixture is that the vapor produced by partial evaporation or distillation of the liquid has substantially the same composition as the liquid from which it was evaporated or

<u>Table 1 - Variation of the HFC-32/CFC-12 Azeotropic Composition with Temperature</u>

5

10

Pressure/composition measurements were taken at 0°C and 40 °C and extrapolated over the temperature range using the aforementioned calculations.

Temp. CFC-12 CFC-12 HFC-32 HFC-32 Vapor Relative (°C) Mole Mole Mole Mole Volatility Pressure Fraction, Fraction, Fraction, Fraction, HFC-32/ (psia) Liquid Phase Vapor Phase Liquid Phase Vapor Phase CFC-12 -80.0 0.1771 0.1771 0.8229 0.8229 3.0 1.000 -60.0 0.1802 0.1802 0.8198 0.8198 10.3 1.000 -40.0 0.1757 0.1757 0.8243 0.8243 27.6 1.000 -20.0 0.1647 0.1647 0.8353 0.8353 62.1 1.000 0.0 0.1480 0.1480 0.8520 0.8520 122.5 1.000 10.0 0.1376 0.1376 0.8624 0.8624 165.6 1.000 20.0 0.1255 0.1255 0.8745 0.8745 219.1 1.000 40.0 0.0946 0.0946 0.9054 0.9054 363.9 1.000 50.0 0.0736 0.0736 0.9265 0.9265 458.9 1.000 0.0602 55.0 0.0602 0.9398 0.9398 513.0 1.000

<u>Table 2 - Variation of the HFC-32/HFC-143a Azeotropic Composition with Temperature</u>

Pressure/composition measurements were taken at -17°C and 40 °C and extrapolated over the temperature range using the aforementioned calculations.

Temp.	HFC-143a	HFC-143a	HFC-32	HFC-32	Vapor	Relative
(°C)	Mole	Mole	Mole	Mole	Pressure	Volatility
	Fraction,	Fraction,	Fraction,	Fraction,	(psia)	HFC-32/
L	Liquid Phase	Vapor Phase	Liquid Phase	Vapor Phase		HFC-143a
-80.0	0.2830	0.2830	0.7170	0.7170	2.9	1.000
-60.0	0.2334	0.2334	0.7666	0.7666	9.7	1.000
-50.0	0.2078	0.2078	0.7922	0.7922	16.4	1.000
-40.0	0.1818	0.1818	0.8182	0.8182	26.2	1.000
-20.0	0.1286	0.1286	0.8714	0.8714	59.3	1.000
0.0	0.0736	0.0736	0.9265	0.9265	118.2	1.000
10.0	0.0448	0.0448	0.9553	0.9553	160.7	1.000
20.0	0.0144	0.0144	0.9856	0.9856	213.9	1.000
23.0	0.0048	0.0048	0.9952	0.9952	232.2	1.000

<u>Table 3 - Variation of the HFC-32/CFC-115 Azeotropic Composition with Temperature</u>

Pressure/composition measurements were taken at 0°C and 39°C and extrapolated over the temperature range using the aforementioned calculations.

5

Temp.	CFC-115	CFC-115	HFC-32	HFC-32	Vapor	Relative
(°C)	Mole	Mole	Mole	Mole	Pressure	Volatility
	Fraction,	Fraction,	Fraction,	Fraction,	(psia)	HFC-32/
	Liquid Phase	Vapor Phase	Liquid Phase	Vapor Phase	_	CFC-115
-80.0	0.3040	0.3040	0.6960	0.6960	3.4	1.000
-60.0	0.3075	0.3075	0.6925	0.6925	11.7	1.000
-40.0	0.3023	0.3023	0.6977	0.6977	31.5	1.000
-20.0	0.2922	0.2922	0.7078	0.7078	70.6	1.000
0.0	0.2786	0.2786	0.7215	0.7215	138.3	1.000
10.0	0.2703	0.2703	0.7297	0.7297	185.9	1.000
20.0	0.2607	0.2607	0.7393	0.7393	244.3	1.000
40.0	0.2345	0.2345	0.7655	0.7655	398.4	1.000
60.0	0.1848	0.1848	0.8152	0.8152	606.3	1.000
80.0	0.0071	0.0071	0.9929	0.9929	866.1	1.000

<u>Table 4 - Variation of the HFC-32/HFC-125 Azeotropic Composition with Temperature</u>

Pressure/composition measurements were taken at -38, -15, 15, and 44°C and extrapolated over the temperature range using the aforementioned calculations.

Temp.	HFC-125	HFC-125	HFC-32	HFC-32	Vapor	Relative
(°C)	Mole	Mole	Mole	Mole	Pressure	Volatility
1	Fraction,	Fraction,	Fraction,	Fraction,	(psia)	HFC-32/
	Liquid Phase	Vapor Phase	Liquid Phase	Vapor Phase		HFC-125
-80.0	0.1514	0.1514	0.8486	0.8486	2.8	1.000
-60.0	0.1359	0.1359	0.8641	0.8641	9.5	1.000
-40.0	0.1165	0.1165	0.8835	0.8835	25.9	1.000
-20.0	0.0952	0.0952	0.9048	0.9048	59.1	1.000
0.0	0.0746	0.0746	0.9254	0.9254	118.2	1.000
20.0	0.0592	0.0592	0.9408	0.9408	214.2	1.000
40.0	0.0590	0.0590	0.9410	0.9410	360.0	1.000
50.0	0.0737	0.0737	0.9263	0.9263	456.7	1.000

distilled, i.e., the mixture distills/refluxes without compositional change. Constant boiling compositions are characterized as azeotropic because they exhibit either a maximum or minimum boiling point relative to that of the pure components.

Azeotropic compositions are also characterized by a minimum or a maximum in

the vapor pressure measurements relative to the vapor pressure of the pure components in a PTx cell as a function of composition at a constant temperature.

The fact that the HFC-32/halocarbon low-boiling (high pressure) azeotropic compositions vary depending on temperature and pressure provides a method of separating and partially purifying the HFC-32 from halocarbon. This method is known as azeotropic distillation and allows for partial separation of the azeotrope into its components within a distillation column. If the HFC-32/halocarbon azeotropic composition formed under one temperature/pressure is then distilled under a different temperature/pressure, the composition of the azeotrope will change such that one component, HFC-32 or halocarbon, is now in excess relative to the newly-formed azeotropic composition. By excess component is meant the component of an azeotropic composition which is in excess of the quantity of that component which is required for azeotropic formation at a given temperature and pressure. The newly formed azeotropic composition may then be distilled overhead while the excess component is recovered as column bottoms. For example, a distillation column can be operated at a temperature and pressure that causes the azeotropic composition to form. If the quantity of HFC-32 is relatively large in comparison to, for instance, HFC-143a, i.e. the concentration of HFC-32 is greater than that in the azeotropic composition, the HFC-32 can be removed in substantially pure form from the bottom of the column, while the azeotropic composition is removed from the top of the column.

10

15

20

25

30

The results of PTx measurements and the aforementioned calculations for HFC-32 and halocarbon in the presence of various extractive distillation agents are summarized in Tables 5 through 8. Shown are activity coefficients at 0 °C for HFC-32/CFC-12 (Table 5), HFC-32/HFC-143a (Table 6), HFC-32/CFC-115 (Table 7) and HFC-32/HFC-125 (Table 8) at infinite dilution in the listed extraction agent. Also shown are the ratios of HFC-32 activity coefficient to halocarbon activity coefficient (relative volatility). The ratio of the activity coefficient for HFC-32 at infinite dilution in an extractive agent relative to the activity coefficient of halocarbon at infinite dilution in the proposed extractive agent is the relative volatility of HFC-32 and halocarbon in the presence of the extractive agent.

Table 5 - Extractive Agents for HFC-32/CFC-12

			Infinite Dilution Activity Coefficients at 0°C		
Extractive Agent	Formula	NBP* (°C)	HFC- 32	CFC- 12	Ratio
n-Pentane	C ₅ H ₁₂	36.1	7.04	1.38	5.10
Methylcyclopentane	C ₆ H ₁₂	71.8	9.30	1.86	5.00
n-Hexane	C ₆ H ₁₄	68.7	7.25	1.48	4.90
Methanol	СН₃ОН	64.6	3.89	10.82	0.36
Acetone	CH₃COCH₃	56.3	0.77	3.23	0.24
Methylene Chloride	CH ₂ Cl ₂	. 39.8	2.77	4.04	0.69

*NBP = Normal Boiling Point (temperature at which vapor pressure

is

equal to 1 atmosphere)

5

Table 6 - Extractive Agents for HFC-32/HFC-143a

			Infinite Dilution Activity Coefficients at 0°C		
Extractive Agent	Formula	NBP (°C)	HFC- 32	HFC- 143a	Ratio
n-Pentane	C₅H ₁₂	36.1	7.04	4.79	1.47
Cyclopentane	C₅H ₁₀	49.3	10.78	7.91	1.36
Methylcyclopentane	C ₆ H ₁₂	71.8	9.30	6.82	1.36
n-Hexane	C ₆ H ₁₄	68.7	7.25	5.22	1.39
Methanol	СН₃ОН	64.6	3.89	7.71	0.50
Acetone	CH₃COCH₃	56.3	0.77	1.78	0.43
Methylene Chloride	CH ₂ Cl ₂	39.8	2.77	4.82	0.57

Table 7 - Extractive Agents for HFC-32/CFC-115

			Infinite Dilution Activity Coefficients at 0°C		
Extractive Agent	Formula	NBP (°C)	HFC- 32	CFC- 115	Ratio
n-Pentane	C ₅ H ₁₂	36.1	7.04	6.61	1.07
Cyclopentane	C ₅ H ₁₀	49.3	10.78	5.95	1.81
n-Hexane	C ₆ H ₁₄	68.7	7.25	3.94	1.84
Methanol	СН₃ОН	64.6	3.89	37.45	0.10
Acetone	CH₃COCH₃	56.3	0.77	12.03	0.064
Methylene Chloride	CH ₂ Cl ₂	39.8	2.77	19.55	0.14

Table 8 - Extractive Agents for HFC-32/HFC-125

5

10

15

			Infinite Dilution Activity Coefficients at 0°C		
Extractive Agent	Formula	NBP (°C)	HFC- 32	HFC- 125	Ratio
n-Pentane	C ₅ H ₁₂	36.1	7.04	9.34	0.75
Cyclopentane	C ₅ H ₁₀	49.3	10.78	11.04	0.98
n-Hexane	C ₆ H ₁₄	68.7	7.25	6.65	1.09
Methanol	СН₃ОН	64.6	3.89	3.94	0.99
Acetone	CH₃COCH₃	56.3	0.77	0.87	0.89
Methylene Chloride	CH ₂ Cl ₂	39.8	2.77	9.53	0.29

The problems encountered upon conventional distillation of HFC-32/halocarbon, such as the need for taller columns, higher energy input, and lower resultant HFC-32 recovery, can be solved by practicing the present inventive extractive distillation process. By extractive distillation is meant a process in which an extractive agent is introduced at an upper feed point of a distillation column, whereas the mixture requiring separation is introduced at the same point or preferably, at a relatively lower feed point of the column. The substantially liquid extractive agent passes downwardly through trays or packing in the column and exits the column bottoms with one or more components of the mixture to be separated. While in the presence of the extractive agent, at least one of the components of an initial mixture to be separated becomes relatively more volatile compared to the other components of the mixture, with that more volatile

9

component of the initial mixture exiting the column overheads. Extractive distillation may be employed when the components of a mixture have relative volatilities that do not afford effective separation of the components by conventional distillation. In extractive distillation, an extractive agent is used which causes the relative volatilities of the components in a mixture to be altered such that the resultant relative volatilities, i.e., that of components of the mixture in the presence of the extractive agent, become sufficient to permit separation of the components by distillation techniques. The difficulty in applying this method is that there is no way of predicting which, if any, compound will be an effective extractive distillation agent for a given azeotropic composition.

10

15

20

25

30

35

The present inventors have discovered through experimentation that the relative volatility of compositions comprising HFC-32 and at least one of the halocarbons CFC-12, HFC-143a, CFC-115, and HFC-125 can be altered from 1.0 in the presence of extractive agents selected from: hydrocarbons having 5 to 9 carbon atoms and having a normal boiling point greater than about 30°C and less than about 155°C; alcohols having a normal boiling point greater than about 60°C and less than about 100°C and represented by the formula $C_xH_{2x+1}OH$, wherein x is from 1 to 3; ketones having a normal boiling point greater than about 50°C and less than about 110°C and represented by the formula $C_yH_{2y+1}COC_xH_{2x+1}$, wherein y and z are 1 or greater and y+z is at most 5; and chlorocarbons having a normal boiling point greater than about 39°C and less than about 150°C and represented by the formula $C_xH_{2s+2}Cl_y$, wherein s is 1 or 2 and t is from 2 to 4.

This discovery allows for separation of HFC-32 from a first mixture comprising HFC-32 and halocarbon by extractive distillation in the presence of an appropriate extractive agent. The appropriate extractive agent for a first mixture comprising HFC-32 and halocarbon is one which causes the relative volatility of the HFC-32 and halocarbon to be greater than 1.0, with the HFC-32 being more volatile, thus permitting HFC-32 to be removed from the top of the distillation zone. Alternately, the appropriate extractive agent for a first mixture comprising HFC-32 and halocarbon is one which causes the relative volatility of the HFC-32 and halocarbon to be less than 1.0, with the HFC-32 being less volatile, thus permitting halocarbon to be removed from the top of the distillation zone and HFC-32 to be removed from the bottom of the distillation zone together with the extractive agent. In order for an extractive agent to be effective in separating HFC-32 from halocarbon by extractive distillation, the relative volatility of the HFC-32 and halocarbon in the presence of the extractive agent must theoretically be greater than or less than about 1.0. For practical purposes it must generally be greater than about 1.1 or less than about 0.9. Normally, for commercially useful

separation of 32 and halocarbon to occur in the present extractive distillation process, this relative volatility will be greater than about 1.3 or less than about 0.5, and still more preferably it will be greater than about 2.0 or less than about 0.3. When more than one halocarbon is present in a first mixture comprising HFC-32 and halocarbon, an effective extractive agent is one for which the relative volatility for each HFC-32/halocarbon pair of the first mixture satisfies the aforementioned relative volatility criteria in the same direction relative to 1.0. For instance, when CFC-12 and HFC-143a halocarbon impurities are both present in HFC-32 concurrently, an effective extractive agent is one for which the relative volatilities for both HFC-32/CFC-12 and HFC-32/HFC-143a are greater than 1.0.

5

10

15

20

25

30

35

The present inventors have discovered that at least one halocarbon selected from the group consisting of CFC-12, HFC-143a, CFC-115, and HFC-125 can be efficiently separated from HFC-32 by using an extractive distillation process with a hydrocarbon extractive agent comprising at least one linear, branched, or cyclic aliphatic hydrocarbon having a normal boiling point greater than about 30°C and less than about 155°C selected from the families of hydrocarbons known as pentanes, hexanes, heptanes, octanes, and nonanes. Hydrocarbon extractive agents with a normal boiling point between about 60°C and 110°C are especially useful. Preferred hydrocarbon extractive agents are n-pentane, cyclopentane, methylcyclopentane, n-hexane, cyclohexane and n-heptane. Hydrocarbon extractive agents used in the present invention are generally commercially available. Commercial grade hydrocarbons, such as Optima® grade Hexane available from Fisher Scientific, Pittsburgh, PA, USA, containing 2methylpentane (0.2 volume %), 3-methylpentane (3.5%), n-hexane (85.4%), methylcyclopentane (10.9%), may be employed as hydrocarbon extractive agent in the process of the present invention. The extractive agent is chosen such that under the conditions of the extractive distillation, the extractive agent is not in the solid phase, i.e., the extractive agent does not freeze and form solid in the apparatus.

The present inventors have discovered that at least one halocarbon selected from the group consisting of CFC-12, HFC-143a, CFC-115, and HFC-125 can be efficiently separated from HFC-32 by using an extractive distillation process with an oxygen-containing extractive agent comprising: alcohols having a normal boiling point greater than about 60°C and less than about 100°C and represented by the formula $C_xH_{2x+1}OH$, wherein x is from 1 to 3; and ketones having a normal boiling point greater than about 50°C and less than about 110°C and represented by the formula $C_vH_{2v+1}COC_zH_{2z+1}$, wherein y and z are 1 or greater and y+z is at

most 5. Representative oxygen-containing extractive agents are methanol, ethanol, n-propanol, iso-propanol, propanone (acetone), and butanone.

5

10

15

20

25

30

35

The present inventors have discovered that at least one halocarbon selected from the group consisting of CFC-12, HFC-143a, CFC-115, and HFC-125 can be efficiently separated from HFC-32 by using an extractive distillation process with a chlorocarbon extractive agent comprising chlorocarbons having a normal boiling point greater than about 39°C and less than about 150°C and represented by the formula C_sH_{2s+2-t}Cl_t, wherein s is 1 or 2 and t is from 2 to 4. Representative chlorocarbon extractive agents are methylene chloride (CH₂Cl₂), chloroform (trichloromethane, CHCl₃), carbon tetrachloride (CCl₄), dichloroethane (CH₃CHCl₂, CH₂ClCH₂Cl), trichloroethane (CH₃CCl₃, CHCl₂CH₂Cl), and tetrachloroethane (CH₂ClCCl₃, CHCl₂CHCl₂).

The extractive distillation processes of the present invention for separating HFC-32 from at least one halocarbon comprise the steps of:

- a) contacting a HFC-32/halocarbon first mixture with an extractive agent to form a second mixture, and
- b) separating the HFC-32 from at least one halocarbon of the second mixture by extractively distilling the second mixture in an extractive distillation zone thereby recovering HFC-32 substantially free of at least one halocarbon:

as an overhead product, and from the bottom of the zone a third mixture comprising the extractive agent and halocarbon for the embodiment of the present invention wherein the HFC-32 and halocarbon relative volatility is greater than 1.0, or

as a bottoms product together with extractive agent, and as a third mixture an overhead product comprising halocarbon for the embodiment of the present invention wherein the HFC-32 and halocarbon relative volatility is less than 1.0.

In each of the aforementioned embodiments, the extractive agent is preferably recycled. For instance, for extractive agents causing a HFC-32 and halocarbon relative volatility greater than 1.0, extractive agent will be recovered from the extactive distillation step together with halocarbon, and may be further purified (e.g., by conventional distillation) and recycled to the contacting step. For extractive agents causing HFC-32 and halocarbon relative volatility less than 1.0, extractive agent will be recovered from the extactive distillation step together with HFC-32, and may be further purified (e.g., by conventional distillation) and recycled to the contacting step leaving HFC-32 substantially free of halocarbon.

By substantially free or substantially pure, it is meant that the HFC-32 product contains less than about 0.1 weight% halocarbon, and preferably less than

about 50 parts per million by weight (ppmw) of halocarbon. Higher purity HFC-32 for use as plasma etchant gas, e.g., containing 0.1 ppmw or less of halocarbon, may be produced by the present extractive distillation process by varying the extractant flow and distillation column dimensions.

5

10

15

20

25

30

35

While the present process may be used to purify a wide range of HFC-32 compositions containing one or more of the present halocarbons, it is preferred that the HFC-32 content be greater than about 90 mole% and that the halocarbon content be less than about 10 mole%. If desired, the aforementioned azeotropic distillation method can be used for reducing the initial quantity of halocarbon and other impurities in the HFC-32 composition. That is, conventional distillation can be used for removing relatively large or bulk quantities of impurities from the first mixture which in turn is processed in accordance with the inventive process for separating HFC-32 from halocarbon.

Extractive distillation is typically performed by operating a continuous distillation column, which comprises a multi-stage distillation column with two feed points. Extractive agent is introduced at a first feed point on the column which is located at the same height, more preferably above, a second feed point that is used for introducing the HFC-32/halocarbon mixture to be separated. The distillation column further comprises a reboiler and an overhead condenser for returning reflux to the column.

In one embodiment of the present process, hydrocarbon extractive agent is introduced at an upper feed point of an extractive distillation column, whereas the first mixture requiring separation, e.g., comprising HFC-32 and halocarbon, is introduced at a relatively lower point in the column. The hydrocarbon extractive agent passes downwardly through trays in the column and contacts the first mixture thereby forming a second mixture. While in the presence of the hydrocarbon extractive agent, HFC-32 is relatively more volatile than halocarbon, thereby causing substantially pure HFC-32 to exit the top of the column. HFC-32 exiting the top of the column can be condensed by reflux condensers. At least a portion of this condensed stream can be returned to the top of the column as reflux, and the remainder recovered as substantially pure HFC-32 product. Hydrocarbon extractive agent, halocarbon, and other impurities comprise a third mixture that exits from the bottom of the column, which can then be passed to a stripper or distillation column for separation by using conventional distillation or other known methods. The hydrocarbon extractive agent can be recycled to the extractive distillation column.

In another embodiment of the present process, oxygen-containing or chlorocarbon extractive agent is introduced at an upper feed point of an extractive

distillation column, whereas the first mixture requiring separation, e.g., comprising HFC-32 and halocarbon, is introduced at a relatively lower point in the column. The oxygen-containing or chlorocarbon extractive agent passes downwardly through trays in the column and contacts the first mixture thereby forming a second mixture. While in the presence of oxygen-containing or chlorocarbon extractive agent, halocarbons are relatively more volatile than HFC-32, thereby causing halocarbons to exit the top of the column. Oxygen-containing or chlorocarbon extractive agent and substantially pure HFC-32 comprise a third mixture that exits from the bottom of the column, which can in turn be passed to a stripper or distillation column for separation by using conventional distillation or other known methods. The oxygen-containing or chlorocarbon extractive agent can be recycled to the extractive distillation column.

5

10

15

20

25

30

35

The ratio of the material exiting the top of the extractive distillation column, which is then condensed and in turn returned to the column, to the amount of material that is removed as product is commonly referred to as the reflux ratio. The reflux ratio will define the physical characteristics of the extractive distillation column. In general, an increase in the reflux ratio will in turn cause an increase in the purity of the overhead stream (HFC-32 or halocarbon) by reducing or eliminating the quantity of extractive agent and other impurities in the overhead stream.

The specific conditions that can be used for practicing the invention depend upon a number of interrelated design parameters such as the diameter of the column, feed point location on the column, and the number of separation stages in the column, among other parameters. The operating pressure of the distillation system may range from about 15 to about 350 psia, normally about 50 to 300 psia. The temperature and heat transfer area of the overhead condenser is normally sufficient to substantially fully condense the overhead product, or is optionally sufficient to achieve the desired reflux ratio by partial condensation.

The effective amount of extractive agent can vary widely. In general, invreasing the amount of extractive agent will increase the purity of the overhead HFC-32 or halocarbon stream. Typically, the ratio of extractive agent to HFC-32 ranges from about 1/1 to 10/1 on a weight basis; however, higher ratios can be employed.

The temperature that is employed at a given step in the inventive process may vary, as column operating temperature is a function of the pressure and design characteristics of the distillation column, e.g., the ratio of extractive agent to the first mixture.

The present inventive process can be better understood by reference to Figure 1. Figure 1 schematically illustrates a system which can be used for performing the embodiment of the present extractive distillation process wherein HFC-32 is separated from a first mixture comprising HFC-32 and halocarbon using a hydrocarbon extractive agent.

5

10

15

20

25

30

35

A first mixture comprising HFC-32 and halocarbon impurity is supplied via conduit $\underline{1}$ to extraction column $\underline{2}$. At least one liquid hydrocarbon extractive agent is supplied via conduit $\underline{3}$ to the extraction column $\underline{2}$, and introduced into column 2 at a location above the mixture 1. A second mixture comprising the hydrocarbon extractive agent and halocarbon is removed from the bottom of column 2 and transported to steam heated reboiler 4. In some cases, reboiler $\underline{4}$ is attached to extractive column $\underline{2}$. The second mixture is supplied via conduit 5 to a feed tank 6. Supplemental liquid hydrocarbon extractive agent is also supplied to feed tank 6 via conduit 7 thereby forming a hydrocarbon extractive agent recycle. A pump 8 transports the hydrocarbon extractive agent recycle to a stripping mixture column 9. Stripping column 9 separates the hydrocarbon extractive agent from other materials. Hydrocarbon extractive agent is removed from column 9 and supplied to a second steam heated reboiler 10. In some cases, the reboiler 10 is attached to column 9. Pump 11 transports the hydrocarbon extractive agent from the reboiler 10 through a cold water chiller 12, and then to chiller 13. If necessary, excess quantities of hydrocarbon extractive agent can be purged prior to reaching chiller 12. Typically, chiller 13 is operated at a temperature of about -25°C. After exiting chiller 13, the hydrocarbon extractive agent is supplied via conduit 3 into extraction column 2.

Halocarbon exits from the top of stripping column 9 as an off gas, and is introduced into condenser 14, which is typically operated at a temperature of about -25°C. While under reflux conditions, pump 15 returns a portion of the halocarbon to the stripping column 9. The remaining portion of the halocarbon can be removed from the system via conduit 16.

An off gas of HFC-32 that is substantially free of halocarbon and other compounds is removed from extraction column 2. The HFC-32 is transported via conduit 17 to condenser 18. Condenser 18 is typically operated at a temperature of about -25°C. While under reflux conditions, pump 19 returns a portion of the HFC-32 to extraction column 2. The HFC-32 can be removed from the system via conduit 20.

EXAMPLES

The following Examples are provided to illustrate certain aspects of the present invention, and do not limit the scope of the invention. In the following Examples, each column stage is based upon a 100% operational or performance efficiency. Differing column designs and operating conditions are employed using different extractive agents in order to maximize the performance of each distillation. In all examples, the total theoretical stages includes condenser and reboiler, with the condenser counted as stage No.1.

EXAMPLE 1

10

15

20

25

30

35

In this Example of the invention, a low boiler distillation column and an extractive distillation column were used to purify a feed stream composed of 10 lb/hr of crude HFC-32. The crude feed contained 0.00022 lb/hr of CFC-12, a CFC-12 concentration of 22 parts per million by weight (ppmw), and 0.00229 lb/hr of HFC-143a, a HFC-143a concentration of 229 ppmw. Other feed impurities were: 678 ppmw HFC-23 (CHF₃), 63 ppmw HFC-41 (CH₃F), 46 ppmw HCFC-22 (CHClF₂), 13 ppmw HCC-40 (CH₂Cl), 6 ppmw HFC-134a (CH₂FCF₃), 4 ppmw HFC-134 (CHF₂CHF₂), and 0.2 ppmw HFC-152a (CHF₂CH3). The low boiler column was a packed column containing 23 theoretical stages. The crude feed stream was introduced at stage 12 of the low boiler column. The low boiler column condenser pressure was maintained at 190 psia. The distillate temperature was 15°C and the bottom column temperature was 16°C. The low boiler column boilup rate was set so as to give at least 40 lb/hr of internal reflux in the column (calculated based on condenser duty). The distillate takeoff rate was controlled at 0.5 lb/hr. Under these conditions, the low boiling impurities in the crude feed stream left the top of the low boiler column while the HFC-32 and its near boiling and high boiling impurities left with the bottoms stream. A sample of the bottoms stream indicated the following composition: 99.9785 wt% HFC-32, 172 ppmw HFC-143a, 25 ppmw HCC-40, 12 ppmw HCFC-22, 5 ppmw HFC-134a, and 1 ppmw HFC-134.

The extractive distillation column was a packed column containing 54 theoretical stages. The bottoms stream from the low boiler column was introduced at stage 33 of the extractive distillation column and n-hexane extractive agent was introduced at stage 13 at 150 lb/hr. The column condenser pressure was maintained at 84.7 psia. The distillate temperature was -9°C, and the bottom column temperature was 110°C. Under these operating conditions, the HFC-32 product left in the overhead stream from the column and the n-hexane containing HFC-143a exited in the bottom stream. The extractive agent flow rate was set so as to meet a composition of less than 25 ppmw of HFC-143a in the

overhead HFC-32 product. The column boilup rate of 28 lb/hr of steam to the reboiler was set so as to give sufficient reflux to meet a composition of less than 5 ppmw extractive agent in the HFC-32 overhead product. The distillate rate was controlled to recover 9 lb/hr of HFC-32 in the distillate overhead stream. The column diameter was chosen so as to have an F-factor of 0.59 or below. HFC-32 of 99.998 wt% purity was recovered with 99.89 % recovery of the HFC-32 fed to the extractive distillation column. The HFC-32 product contained 16 ppmw of HFC-143a, 1 ppmw of HCC-40, and 2 ppmw of n-hexane.

EXAMPLE 2

5

10

15

20

25

30

35

In this Example of the invention, a low boiler distillation column and an extractive distillation column were used to purify a feed stream composed of 20 lb/hr of crude HFC-32. The crude feed contained 0.00148 lb/hr of CFC-12, a CFC-12 concentration of 74 parts per million by weight (ppmw), and 0.00270 lb/hr of HFC-143a, a HFC-143a concentration of 135 ppmw. Other feed impurities were: 31 ppmw n-hexane (C₆H₁₄), 21 ppmw HCFC-22 (CHClF₂), 7 ppmw HCC-40 (CH₃Cl), 1 ppmw HFC-134a (CH₂FCF₃), and 1 ppmw CFC-13 (CCIF₃). The low boiler column was a packed column containing 23 theoretical stages. The crude feed stream was introduced at stage 12 of the low boiler column. The low boiler column condenser pressure was maintained at 190 psia. The distillate temperature was 15°C and the bottom column temperature was 16°C. The low boiler column boilup rate was set so as to give at least 40 lb/hr of internal reflux in the column (calculated based on condenser duty). The distillate takeoff rate was controlled at 0.2 lb/hr. Under these conditions, the low boiling impurities in the crude feed stream left the top of the low boiler column while the HFC-32 and its near boiling and high boiling impurities left with the bottoms stream. A sample of the bottoms stream indicated the following composition: 99.9823 wt% HFC-32, 121 ppmw HFC-143a, 24 ppmw n-hexane, 20 ppmw HCFC-22, 7 ppmw HCC-40, and 5 ppmw CFC-12.

The extractive distillation column was a packed column containing 54 theoretical stages. The bottoms from the low boiler column was introduced at stage 33 of the extractive distillation column and the n-hexane extractive agent was introduced at stage 13 at 150 lb/hr. The column condenser pressure was maintained at 84.7 psia. The distillate temperature was -9°C, and the bottom column temperature was 120°C. Under these operating conditions, the HFC-32 product left in the overhead stream from the column and the n-hexane containing CFC-12 and HFC-143a exited in the bottom stream. The extractive agent flow rate was set so as to meet a composition of less than 40 ppmw of HFC-143a in the

overhead HFC-32 product. The column boilup rate of 28 lb/hr of steam to the reboiler was set so as to give sufficient reflux to meet a composition of less than 5 ppmw extractive agent in the HFC-32 overhead product. The distillate rate was controlled to recover 19.5 lb/hr of HFC-32 in the distillate overhead stream. The column diameter was chosen so as to have an F-factor of 0.59 or below. HFC-32 of 99.9964 wt% purity was recovered with 98.75 % recovery of HFC-32 fed to the extractive distillation column. The HFC-32 product contained 30 ppmw of HFC-143a and 6 ppmw of other unknown impurities; CFC-12 was below detectable limits in the product.

10

15

Examples 3-16 Comparative Examples 1-4

The following examples are calculated, theoretical examples employing the aforementioned NRTL interaction parameters. The examples are based on 1000 lb/hr of crude HFC-32 feed containing selected halocarbon impurities. No other impurities were considered to be present in the feed. Also included are calculated, theoretical Comparative Examples employing the aforementioned NRTL interaction parameters.

Table 9 - Comparative Examples - Distillation Using No Extractive Agent

	Comparative Comparative Comparative			Comparative
	Example 1	Example 2	Example 3	Example 4
Process Feed (lb/hr)	1,000	1,000 1,000		1,000
HFC-32 (wt%)	99.99	99.99	99.96	99.0
ppm				
HFC-143a	100	100	100	0
CFC-12	0	0	. 100	5,000
CFC-115	0	0	100	5,000
HFC-125	0	0	100	0
Total # Column	100	100	100	100
Stages			•	
Process Stream	50	50	50	50
Feed Stage #				
Process Feed	-10	-10	-15	-15
Temperature (°C)	i			
Operating Pressure	84.7	84.7	84.7	84.7
(psia)				
Distillate	-9.9	-9.9	-10.1	-13.1
Temperature (°C)				
Bottoms	-8.9	-8.9	-8.9	-8.9
Temperature (°C)				
Q Condenser	-818,700	-221,500	-810,200	-622,300
(pcu/hr)			,	
Q Reboiler (pcu/hr)	819,100	221,700	812,600	624,700
Reflux Flow (lb/hr)	10,000	2,000	10,000	10,000
HFC-32 Purity	99.9973	99.9973	99.992	99.9995
(wt%)				
<u>ppm</u>				
CFC-12	-	-	0	5
HFC-143a	27	27	34	-
CFC-115	-	_	0	0
HFC-125	-	-	46	-
% of HFC-32 Feed	96.8	28.8	98.3	98.5
Recovered				

<u>Table 10 - Removal of Halocarbon from HFC-32 using n-Hexane as Extractive</u>
<u>Agent</u>

	-Example	Example 4	Example 5	Example 6	Example 7	Example 8
Process Feed	1,000	1,000	1,000	1,000	1,000	1,000
(lb/hr)	1,000	1,000	1,000	1,000	1,000	1,000
HFC-32 (wt%)	99.99	99.99	99.98	99.96	99.96	99.0
ppm						
HFC-143a	0	100	100	100	100	0
CFC-12	100	0	100	100	100	5,000
CFC-115	0	0	0	100	100	5,000
HFC-125	0	0	0	100	100	0
Total # Column	47	69	69	69	69	69
Stages						
Extractive Agent	13	13	13	13	13	13
Feed Stage #						
Process Stream	35	52	52	52	52	52
Feed Stage #						
Process Feed	-15	-15	-15	-15	-15	-15
Temperature (°C)						
Extractant feed	-15	-15	-15	-15	-15	-15
Temperature (°C)						
Operating	84.7	84.7	84.7	84.7	84.7	84.7
Pressure (psia)						
Distillate	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9
Temperature (°C)						
Bottoms	129.9	138.3	138.3	138.6	139.0	138.2
Temperature (°C)	106.000	100 500	122 222	100 500	122 722	1.62.400
Q Condenser	-136,200	-138,700	-138,700	-138,700	-138,700	-162,400
(pcu/hr)	202.500	770.000	770 000	1 042 000	1.050.100	050 000
Q Reboiler (pcu/hr)	202,500	770,900	770,900	1,043,000	1,950,100	950,200
Reflux Flow	670	700	700	700	700	1.000
(lb/hr)			700	700	700	1,000
Extractive Agent Flow (lb/hr)	760	7,000	7,000	10,000	20,000	8,730
HFC-32 Purity	99.9994	99.9973	99.9973	99.9922	99.9964	99.9995
(wt%)						
ppm						
CFC-12	5	-	0	0.	0	0
HFC-143a	-	26	26	8	0	-
CFC-115	-	-	-	0	0	5
HFC-125	-	-	-	69	36	-
n-Hexane	1	1	1	1	1	0.1
% of HFC-32	99.8	99.8	99.8	99.8	99.8	99.8
Feed Recovered	<u> </u>				L	

<u>Table 11 - Removal of CFC-12 and HFC-143a from HFC-32 using n-Pentane as</u>
<u>Extractive Agent</u>

	- Example 9	Example 10	Example 11
Process Feed	1,000	1,000	1,000
(lb/hr)		ĺ	**
HFC-32 (wt%)	99.99	99.99	99.98
ppm			
HFC-143a	0	100	100
CFC-12	100	0	100
Total # Column	69	69	69
Stages			:
Extractive Agent	36	36	36
Feed Stage #			
Process Stream	52	52	52
Feed Stage #			
Process Feed	-15	-15	-15
Temperature (°C)			
Extractant feed	-15	-15	-15
Temperature (°C)			
Operating	84.7	84.7	84.7
Pressure (psia)			
Distillate	-9.9	-9.9	-9.9
Temperature (°C)			
Bottoms	99.4	100.5	100.5
Temperature (°C)			
Q Condenser	-440,900	-440,900	-440,900
(pcu/hr)			
Q Reboiler	526,300	795,800	795,800
(pcu/hr)			
Reflux Flow	4,400	4,400	4,400
(lb/hr)			
Extractive Agent	1,264	5,302	5,302
Flow (lb/hr)	•		
HFC-32 Purity	99.9994	99.9974	99.9974
(wt%)			
ppm	_		
CFC-12 HFC-143a	5		0
		25	25
n-Pentane	1	1	1
% of HFC-32	99.8	99.8	99.8
Feed Recovered			

<u>Table 12 - Removal of Halocarbon from HFC-32 using Methanol, Methylene</u> <u>Chloride, and Acetone as Extractive Agents</u>

	Example 12	Example 13	Example 14	Example 15	Example 16
Extractive Agent	Methanol	Methanol	Methylene	Acetone	Acetone
			Chloride		
Process Feed (lb/hr)	1,000	1,000	1,000	1,000	1,000
HFC-32 (wt%)	99.96	99.96	99.96	99.96	99.96
ppm	•				
HFC-143a	100	100	100	100	100
CFC-12	100	100	100	100	100
CFC-115	100	100	100	100	100
HFC-125	100	100	100	100	100
Total # Column	69	69	69	69	. 69
Stages					
Extractive Agent	10	. 10	10	10	10
Feed Stage #	`				
Process Stream	52	52	52	52	52
Feed Stage #					
Process Feed	-15	-15	-15	-15	-15
Temperature (°C)					
Extractant feed	-15	-15	-15	-15	-15
Temperature (°C)					
Operating Pressure	84.7	84.7	84.7	84.7	84.7
(psia)	<u> </u>				
Distillate	-11.1	-11.1	-10.9	-11.1	-11.1
Temperature (°C)					
Bottoms	61.8	90.8	36.1	90.0	104.3
Temperature (°C)					
Q Condenser	-38,900	-38,600	-38,700	-37,600	-37,500
(pcu/hr)					
Q Reboiler (pcu/hr)	541,000	1,421,900	204,500	647,300	1,383,700
Reflux Flow (lb/hr)	500	500	500	500	500
Extractive Agent	10,000	20,000	10,000	10,000	20,000
Flow (lb/hr)					
HFC-32 Purity	99.982	99.986	99.982	99.9965	99.9989
(wt%)					
ppm					
CFC-12	55	31	100	7	1
HFC-143a	1	5	79	25	9
CFC-115		0	0	0	0
HFC-125	100	100	2	3	1
% of HFC-32 Feed	99.8	99.8	99.8	99.8	99.8
Recovered			<u> </u>	<u>L.</u>	<u> </u>

5

10

15

20

25

30





WHAT IS CLAIMED IS:

1. A process for separating difluoromethane (HFC-32) from at least one halocarbon of a first mixture comprising difluoromethane (HFC-32) and halocarbon selected from the group consisting of chlorodifluoromethane (CFC-12), 1,1,1-trifluoroethane (HFC-143a), chloropentafluoroethane (CFC-115), and pentafluoroethane (HFC-125), comprising the steps of:

contacting the first mixture with an extractive agent selected from the group consisting of:

hydrocarbon extractive agents comprising hydrocarbons having from 5 to 9 carbon atoms and having a normal boiling point greater than about 30°C and less than about 155°C,

oxygen-containing extractive agents comprising alcohols having a normal boiling point greater than about 60°C and less than about 100°C and represented by the formula $C_xH_{2x+1}OH$, wherein x is from 1 to 3, and ketones having a normal boiling point greater than about 50°C and less than about 110°C and represented by the formula $C_yH_{2y+1}COC_zH_{2z+1}$, wherein y and z are 1 or greater and y+z is at most 5, and

chlorocarbon extractive agents comprising chlorocarbons having a normal boiling point greater than about 39°C and less than about 150°C and represented by the formula $C_sH_{2s+2-t}Cl_t$, wherein s is 1 or 2 and t is from 2 to 4 to form a second mixture,

separating difluoromethane (HFC-32) from at least one halocarbon of the second mixture by extractively distilling the second mixture, and

recovering difluoromethane (HFC-32) substantially free of at least one halocarbon, with the proviso that when the halocarbon is pentafluoroethane (HFC-125), the chlorocarbon extractive agent may not be methylene chloride.

- 2. The process of Claim 1 wherein the hydrocarbon extractive agent is selected from the group consisting of hydrocarbons having 5 to 7 carbon atoms and having a normal boiling point greater than about 30°C and less than about 110 °C.
- 3. The process of Claim 2 wherein the hydrocarbon extractive agent is selected from the group consisting of n-pentane, 2-methylpentane, 3-methylpentane, cyclopentane, methylcyclopentane, n-hexane, cyclohexane and n-heptane.

10



- 4. The process of Claim 1 wherein the oxygen-containing extractive agent is selected from the group consisting of methanol, ethanol, propanol, isopropanol, propanone, and butanone.
- 5. The process of Claim 1 wherein the chlorocarbon extractive agent is methylene chloride.
 - 6. The process of Claim 1 wherein the difluoromethane (HFC-32) recovered from the second mixture contains less than about 50 ppmw halocarbon.
 - 7. The process of Claim 1 wherein the difluoromethane (HFC-32) recovered from the second mixture contains less than about 0.1 ppmw halocarbon.
- 8. The process of Claim 1 further comprising recycling at least a portion of the extractive agent obtained from the extractive distillation of said separation step for use in preparation of the second mixture of said contacting step.
- 9. The process of Claim 1 wherein the extractive distillation is performed at a pressure from about 15 to 350 psia.
 - 10. The process of Claim 1 wherein the extractive distillation is performed using a reflux ratio of from about 1/1 to about 10/1.
- 25 11. The process of Claim 1 wherein the difluoromethane (HFC-32) and halocarbon of the first mixture are an azeotropic composition.